Scott. II-27—40,906—20-12-38.

Edn & PH (1939) Department.

Ms SERIES.

G.O. No. 1433 PH

Dated 20-4-39

GO on p 9

[Despatch Abstract]

Establishment - Headquarters Hospital, Mangalore - Waterman - Sanctioned for a period of two months.

C.F. 30.

Education & Public Health **DEPARTMENT.**

Received ASST. SECRETARY TO G.VT. 1-APR 1939 EDUCATION AND PUBLIC HEALTH DEPT. *19*

Registered *19*

Subject. 13353

Establishment - Government Headquarters Hospital, Mangalore - employment of an additional waterman from 1-4-1939.

ENCLOSURES.
No. .....
.....
Spare copies .....

Ref. No.-4660-1-Hospls./39.

Station Madras., *Dated the* 30th March 1939. *19*

From (Name) Major-General N.M. Wilson, C.I.E., O.B.E., K.H.S., I.M.S.,

(Designation) Surgeon-General with the Government of Madras.

To The Secretary to the Government of Madras,

Education and Public Health Department.

Madras.

Sir,

I have the honour to forward herewith a copy of letter R.No. 70-H/38 dated 4th. March 1939 from the District Medical Officer, South Kanara, regarding the em--ployment of an additional waterman in Government Head--quarters Hospital, Mangalore and state that the necessity for the additional post was explained in detail in my letter to Government Ref. No. 4620-1-H., dated the 22nd. April 1938. But the Government in their order No. Ms. 1615-P.H., dated 30th. April 1938 were pleased to sanction the employment of a waterman temporarily for a period of two months. Though the

the sanctioned bed strength of this Hospital is 100 the daily average number of inpatients treated during the past three years has been more than this figure and the attendance is still on the increase. The number of out-patients has also increased considerably.

I therefore agree with the District Medical Officer that an additional waterman is necessary, and I strongly re-commend the additional post temporarily for a period of one year from 1st. April 1939. The extra cost involved in the proposal is Rs. 132/- which will be met from "38.Medical.b. Hospitals and Dispensaries - B. Mufassal Hospitals and Dispen-saries - I - Ordinary areas - contingencies."

I have the honour to be
Sir,
Your most obedient servant,

T. V. Ramakrishnan 30/3.

Personal Assistant.
For Surgeon-General with the Govt., of Madras.

MAH./28-3.

Copy of letter No. R. 70-H/38 dated the 4th. March 1939 from the District Medical Officer, South Kanara, Manga-lore, to the Personal Assistant to the Surgeon-General with the Government of Madras, M a d r a s:---

I have the honour to state that last year the Surgeon-General was pleased to sanction an additional water-man for the Government Headquarters Hospital, Mangalore for a period of two months from 1st. May 1938 for the reasons given in my letter R. No. 70-H/38 dated the 19th. February 1938 (Vide Surgeon-General's R. No. 4620-H/38 dated the 2nd. May 1938 - Copy enclosed).

One

One of the wells in the hospital compound dries up early in April and the waterman will have to bring water from the Municipal well situated on the roadside outside the hos-pital compound.

The daily average of inpatients and out-patients for the last three years are given below:---

	Inpatients.	Out-patients.
1936.	118.34	430.70
1937.	153.00	623.09
1938.	161.89	663.19

Since there is a marked increase in the number of inpatients as well as of out-patients year after year and since a large amount of water is required to keep the hospital clean with such a large number of patients, I request that one more waterman may permanently be sanctioned for the hospital. Till the sanction of the Government is obtained for a permanent additional waterman, I request that sanction may be given to entertain one waterman temporarily from 1st. of next month onwards as the two watermen now working in the hospital feel very difficult to supply enough of water for the use of the hospital. An early reply is requested.

II 4

6 dn PH

CHN013353. From the Surgeon General No. 4660-1H.39 dt 30.3.39

Medical Institutions -
Headquarters Hospital, Mangalore -
Provision of water supply -

Memo 13353-2 D₂ P H dt 19.4.39.

In his letter No. 4660-1H-39 dt 30.3.39 read above, the Surgeon-General requested the sanction of Govt for the employment of an additional waterman in the Headqrtrs Hospital, Mangalore, as one of the wells in the hospital compound dries up early in April and the waterman has to bring water from the municipal well situated on the roadside outside the hospital compound. The Surgeon-General is requested to examine whether the well which dries up cannot be deepened

obviating the need for a third waterman; and if so to report what the cost of deepening the well would be.

NG
8.4.39.

18/4

18.4.39.

4/4/39

DO

The S.G.

25/4/39.



Edn4PH

CHNO. 13353. From the S G. NO. 4660-1 H.39 & 30.3.39

Establishment - Govt Headquarters Hospital, Mangalore - Employment of an additional Waterman from 1.4.39

The S. G requests sanction for the employment of an additional waterman for a period of one year
p2CF from 1.4.1939. It is stated that one of the wells in the hospital
p3CF Compound dries up early in April and that the waterman will have to bring water from the municipal well situated on the roadside outside the hospital compound. The two waterman now working in the hospital find it very difficult to supply
ibid enough of water for the use of the hospital.

2 On the last occasion, the post was sanctioned temporarily for a period of two months from 11.5.1938. The S G was then informed that he might submit proposals for the further continuance of the post if it was found to be

GO NO 1615 PH
30.4.38
(S)

absolutely necessary. as it was pointed out by Finance that when the south-west monsoon sets in fully by the beginning of June, there will be sufficient water in the hospital well itself and there will then be no need to get water from the municipal well at all. For the same ~~analogy~~ reason, the post may be sanctioned in the first instance for a period of two months and the S.G. may be requested to submit proposals for its further continuance, if necessary, at the end of the period.

S/3

Yes
3/4
4.4.39

3 A draft order is submitted for approval. It may be sent to Finance Dept for acceptance.

NK
31/4/39.
3.4.39.

3/4

Fin
4.4.39

EHPH00 13353-1D2PH
4.4.39.

Finance (Ex II)

The draft order may be Accepted and the Case returned to E & P.H.

ASSISTANT SECRETARY TO GOVERNMENT
4 APR 1939
G.O. 1615 PH
FINANCE DEPT.

10.4.39
4.39

The E & P. H dept

Thank you (Retd)

D 2

A | Dept may be requested to examine separately whether the well which dries up can not be deepened obviating the need for a third water man for 2 months every year, and if so to ascertain what the cost of deepening the well will be.

12.4.39

13.4.39

E H.H.

Edn dP. 14

With reference to A above a draft memo is submitted for approval.

The order also may issue ~~separately~~

NG. 18.4.39.

18.4.88.

Jme 19.4.39

Jme 129 30 Edn-1 12.4.39

ASST. SECRETARY TO GOVT. 15 APR 1939 EDUCATION AND PUBLIC HEALTH DEPT.

14741

A. 17/4.

16/4 Lee

19-20 / 2614 — Two Prints 4

Edn. of PH
Cab. 16

DRAFT FOR APPROVAL.

	Date.	Initials.
When received for fair copying		
When copied		
When examined		
When signed		
When despatched.		

SUBJECT:— Establishment - Headquarters Hospital, Mangalore Waterman - Sanctioned for a period of two months —

READ AGAIN _____, dated _____ 19____.

" " _____ " _____ 19____.

READ *ALSO*:—

No. 13353 From the S.G. No. 4660 -1 H.39 dated 30.3. 19 39

" _____ " _____ " _____ " _____ 19____.

" _____ " _____ " _____ " _____ 19____.

Order ~~Resolution~~ Ms. No. 1433 PH. dated 20.4. 19 39

Sanction is accorded for the employment of an additional waterman on Rs.12 p.m in the Government Headquarters Hospital at Mangalore temporarily for a period of two months from the date of employment.

2 The S.G. is informed that he may submit proposals for the further continuance of the additional waterman if it is found to be absolutely necessary.

Up by PW 25/4

To

The Surgeon General ✓

The Accts. Genl. thro' the Fin Dept. ✓

The Finance Dept. ✓

NK 3.4.39.

3/4

3-4-39.

4.4

EDUCATION & PUBLIC HEALTH DEPARTMENT. 10

C.F. 30.

Received ..... 19 (ASST. SECRETARY TO GOVT. EDUCATION AND PUBLIC HEALTH DEPT. 26 APR 1939) *Registered* ..... 19 .

Subject. 16542

Establishment - Government Headquarters Hospital, Mangalore - employment of an additional waterman -

Edn & P H

Maybe filed with the original of G.O.No. 1433 P.H.dt. 20.4.39.

27.4.39 27.4.39 28/4

(R)

ENCLOSURES.
No. .....
.....
Spare copies .....

Ref. No. 4660-3.H/39.

Station Madras, *Dated the* 25th April 19 39.

From (Name) Major-General H.M. Wilson, C.I.E., O.B.E., K.H.S., I.M.S.,
(Designation) Surgeon-Genl.with the Govt.of Madras.

To The Secretary to the Government of Madras,
Education and Public Health Department.

Sir,

In continuation of my letter to Government Ref.No. 4660-1.H./39 dated 30th March 1939, I have the honour to state that as the water in the wells has receded, it is found practically impossible to get on with the existing two watermen attached to the Hospital. The District Medical Officer has therefore appointed an additional waterman in anticipation of the sanction of Government. I request that the sanction applied for may kindly be accorded.

I have the honour to be,
Sir,
Your most obedient servant,

T.V. Ramakrishnan 27/4.
Personal Assistant,
for Surgeon-Genl.with the Govt.of Madras.

pp1-20 G01433 PH 20-4-39

(R)

28/4

k.35-4.

18/25

11

Edn & PH

Memo 13353-3 D_2 PH dt 23.5.39

Medical Institutions—
Headquarters Hospital, Mangalore
Provision of water Supply.

A/23/5

The attention of the Surgeon General is invited to Memo No. 13353-2 D_2 PH dt 19.4.39 and he is requested to state when ~~this~~ reply ~~to it~~ may be expected.

pp4-5 of G.O.No.1423 PH
20-4-39

⊗

NR 22/5/39

Dy Secy Rev 25/5

Work 22/5/39

Do

The Surgn General

Sd 23/5

D2 D 12 C.F. 30

Education and Public Health DEPARTMENT.

22444

Received ... 19 . Registered ... 19



Subject.

Medical Institutions - Government Headquarters Hospital, Mangalore - provision of water supply.

AS. Edn&PH
Submitted for perusal.
2 The S.G. will be reminded on 2.7.39, if necessary

Reminded 2-7-39
Reminded 28-7-39
Reminded 19-8-39

AS 7.6.39
Edn&PH 7.6.39

5/6

Enclosures.
No. ...
... ...
Spare copies ...

Ref. No. 8728-2 Hospitals/1939.

Station Madras., Dated the 5th June, 1939.

From (Name) Major-General H.H. Wilson, C.I.E., O.B.E., K.H.S., I.H.S.,
(Designation) Surgeon-General with the Govt. of Madras.

To The Secretary to the Government of Madras,
Education and Public Health Department.

Sir,

page 1 ante Ref:- Government Memo No. 13353-D2 P.H. dated 23-5-39

I have the honour to state that the matter is under reference to the District Medical Officer, South Kanara, and a reply will be submitted as soon as the reply from the District Medical Officer is received.

I have the honour to be,
Sir,
Your most obedient servant,

T.V. Ramakrishnan 5/6
Personal Assistant
for Surgeon-General with the Govt. of Madras.

R.G.3-6.

5/6

5/6

Edn & PH

Memo 13353-4 D2 PH dy 27.10.38

Medical Institutions-

Headquarters Hospital, Mangalore - ~~Provision of water supply~~ Deepening a well in the Compound.

The attention of the Surgeon General is invited to Memo No 13353-2 D2 PH dy 19.4.1939 and subsequent reminders on the above subject and he is requested to state when this reply may be expected

MC
27.10.38

27/10

Work
27/10/39

Dpd. by Van
Messenger
Dpr's initials.
Date 31/X/1939.

30

The Surgeon General

Education and Public Health DEPARTMENT.

Received ... 19 . *Registered* 47780 19

Subject.

Medical institutions - Headquarters hospital, Mangalore - deepening a well in the hospital compound -

Enclosures.
No. .....
.....
Spare copies .....

Ref. No.8728-5-Hospitals/39.

Station Madras., *Dated the* 17th November 1939.

From (Name) Major-General N.M.Jilson,C.I.E.,O.B.E., K.H.S.,I.M.S.,
(Designation) Surgeon-General with the Govt. of Madras.

To The Secretary to the Government of Madras,
Education and Public Health Department.

Sir,

p3above Ref:-Government Memo.No.13353-4-D.2 P.H., dated 27-10-1939.

I have the honour to state that there are two wells in the hospital compound. The well situated in the higher level is 53 feet deep and it dries up in the summer. The other well is situated close to the well mentioned above but it is in a lower level, the difference of the ground levels of the two wells being 12 feet. The well in the lower level is 45 feet deep and it does not dry up in summer. This well is intended for the nurses quarters but in summer it is used for the requirements of the hospital

NA/20111

also. The Executive Engineer considers that if the well on the higher level ~~should be~~ is deepened by 10 feet further it will not dry up in summer. He reports that the cost of deepening this well will be about Rs. 300/-.

- The District Medical Officer, South Kanara, has been asked to obtain an estimate from the Executive Engineer for the above work and forward it to this office. It has not yet been received from the District Medical Officer.

I have the honour to be,

Sir,

Your most obedient servant,

T. V. Raghavan 17/11

Personal Assistant

for Surgeon-General with the Govt. of Madras.

17/11

pvs/17-11.

Ed P H

Above

The ~~further report~~ receipt of the estimate may be awaited till 15.12.39.

Remr 16.12.39

Remr 16.1.40

Remr 13.2.40

NA 21-11-39

23/11

USH 21.11.39

Education and Public Health DEPARTMENT.

Received 22 FEB 1940 EDUCATION AND PUBLIC HEALTH DEPT. 19 *Registered* 6967 19

Subject.

Buildings - Government Headquarters Hospital, Mangalore deepening of one of the wells.

ENCLOSURES.
No.
Spare copies

Ref.No. 8728-Genl./39.

Station Madras. *Dated the* 20th Febry.1940. 19

From (Name) Major-General H.H.Wilson, C.I.E.,O.B.E., K.H.S.,I.M.S.,
(Designation) Surgeon-General with the Government of Madras.

To The Secretary to the Government of Madras,

Education and Public Health Department.

Madras.

Sir,

pp4-5 above

In continuation of this office letter Ref. No.8728-5--H/39 dated 17-11-1939, I have the honour to state that an esti--mate for Rs.220/- for deepening the well on the higher level in the Government Headquarters Hospital, Mangalore, has since been received in this office. The Government have however separately been addressed regarding a proposal for the provision of increased water supply to the Government Headquarters Hospi--tal, Mangalore. The necessity for the work has been explained to the Government in detail, and the proposal is being consi--dered as a Part II Scheme of the Budget for 1940-41-vide this office letter Ref. No. 4874-3-G dated 22--5--1939.

pp10-11 of L. File

In

In view of this fact, the Superintendent reports that there is no necessity for the above work (deepening the well) if the bigger scheme for water supply to the Hospital is sanctioned by Government during the year 1940-41. I have therefore recorded the correspondence and returned the estimate for Rs.220/- re-ceived from the Superintendent for retention in his office.

I have the honour to be
Sir,
Your most obedient servant,

T. V. Jaisatakam 20/1

Personal Assistant.
For Surgeon-General with the Government of Madras.

MAH./18-2.

Edn of P H.

pp4-5 CF CH No. 6967 D$_2$

pp6-7 CF

From the S.G. No. 8728-5 H/39 dy 17.11.39

" No. 8728 Genl-39 dy 20.2.40

Buildings - Headquarters Hospital, Mangalore - deepening of one of the wells -

---

vide A on p8 of GO No 1433 P.H. 20-4-39 (X)

q memo on pp4-5 of (X)

At the instance of The Finance Dept, the Surgeon General was requested to examine whether the well in the Headquarters Hospital at Mangalore which dries up in Summer cannot be deepened obviating the need for a third waterman, and if so, to report what the cost of deepening the well would be. The Surgeon General now reports that if the proposal for the provision of increased water supply to the hospital, which is under consideration as Part II scheme for 1940-41 is sanctioned, there will be no necessity to deepen one of the wells. In the above circumstances no action is called for.

p 6 CF

Vide Part II Scheme note flag (H)

Provision has been made for the scheme in the BE for 1940-41

The papers may be filed with Go. No. 1433 P.H. dy 20.4.1939 after

(X)

perusal by Finance.

[A copy of the above note may be added to the Part II scheme file also, if approved].

NA 23.2.40.

Ke 26/2

Ker ✓ Fin

Ke 27.2.40

Yn ✓

EdPH U0.13353-5 D2 PH 28.2.40.

AP 27/2/40

ASSISTANT SECRETARY TO GOVERNMENT 28 FEB 1940 FINANCE DEPT.

Finance (Exp.) may be pleased and returned to E & P.H.

Ke 2.3.40.

PVP 2.3.40

7956 Ed

Provision has been made in the Budget for 1940-41 for increased water supply etc. to the Headquarters Hospital Mangalore

Cs 4.3.40

7956 Ed/7 4/3/40

E of H

ASST. SECRETARY TO GOVT. EDUCATION AND PUBLIC HEALTH DEPT. 5 MAR 1940

Edn & PH

Copy of the above note has been added to the Part II scheme file. This may be filed with

8897 NA 5/3

20 B

(X) Ego NO. 1433 P.H. dt 20.4.39!

Me
6.3.40.

Work
7.3.40

EDUCATION AND PUBLIC HEALTH DEPARTMENT.

PART II SCHEME FOR 1940–41.

[SUBJECT.—*Provision for increased water-supply to the Headquarters Hospital at Mangalore and remodelling the existing latrines.*]

Summary.

Head of account.	Item of expenditure.	Non-recurring. Ultimate cost.	Non-recurring. Cost in 1940–41.
		Rs.	Rs.
50. Civil Works—Original works—Buildings—L. Medical.	Provision of increased water-supply.	12,520	6,600
	Remodelling the latrines with flushing arrangements.	2,080	
	Deduct—Probable savings ..	..	— 700
	Total ..	14,600	5,900

NOTE BY THE ADMINISTRATIVE DEPARTMENT.

The Government Headquarters Hospital, Mangalore, has long stood in need of some very necessary improvements. In April 1937 the District Medical Officer sent up to the Surgeon-General a list of these. The Surgeon-General now reports that two of them, viz., the augmentation of the existing water-supply and the remodelling of the latrines cannot be postponed further.

2. *Water-supply.*—The water required for the hospital is now drawn from fairly deep wells by two watermen employed in the hospital. The sanctioned bed strength of the hospital is 100. The daily average number of in-patients and out-patients for the past three years is 144 and 572 respectively. A large quantity of water is therefore required to keep the wards and patients clean. The present supply is thoroughly inadequate and it is found impossible to keep the hospital clean. The Advisory Committee of the bospital has also urged that the existing water-supply should be augmented immediately.

Latrines.—The existing latrines have no flushing arrangements and it is impossible to keep them in a sanitary condition. It is proposed to remodel them.

3. The Surgeon-General submits an approximate estimate of Rs. 14,600 to carry out the foregoing improvements.

The following extract of the Public Works Department report explains the nature of the work :—

> " Provision is made in the estimate for constructing two overhead pressed steel tanks with tower head, two pumps for pumping water with a pump house, two wells of 10 feet diameter each, necessary supply mains of 3 inches diameter and distribution pipes with pipes and tanks wherever necessary.
>
> Provision is also made in the estimate for remodelling the existing dingy latrine attached to the surgical ward and providing it with flushing arrangements of the Hindustan type. This latrine and the others attached to the several wards will be provided with septic tanks to make them sanitary."

4. The Public Works Department expect to spend Rs. 6,600 in the year in which the estimate is sanctioned. It is proposed to make this provision in the Budget Estimate for 1940–41.

G. H. COOKE—9-11-39.

NOTE BY THE FINANCE DEPARTMENT.

The proposal may be considered as a Part II Scheme for 1940–41.

W. SCOTT BROWN—21-11-39.